

OUR PRODUCTS

HOLLOW STRUCTURAL STEEL PRODUCTS

HSS ROUND & PIPE ASTM A500

SIZE (IN)	SCH	WALL	WGT PER FT	CHICAGO PCS/BDL	MARSEILLES PCS/BDL	DECATUR PCS/BDL	TRINITY PCS/BDL	BIRMINGHAM PCS/BDL	
1.050" OD (0.75 NPS)	10	0.083	0.857					169*	
	40	0.113	1.131					169	
1.315" OD (1 NPS)	10	0.109	1.404					91*	
	40	0.133	1.679					91	
1.660" OD (1.25 NPS)	10	0.109	1.806		61			61	
	40	0.140	2.273		61			61	
	80	0.191	2.997					61	
1.750" OD		0.125	2.17		61*				
		0.134	2.31		61*				
1.900" OD (1.5 NPS)	10	0.109	2.085		61			61	
	40	0.145	2.718		61			61	
	80	0.200	3.631					61	
2.375" OD (2 NPS)	10	0.109	2.638		37		37	37*	
	40	0.154	3.653		37		37	37	
	42'	40	0.154	3.653		37		37	24
		80	0.218	5.020		37		37	37
	42'	80	0.218	5.020		37		37	24
2.875" OD (2.5 NPS)	10	0.120	3.531		24		24	24*	
	40	0.203	5.793		24		24	24	
	80	0.276	7.661		24		24	24	
3.000" OD		0.125	3.84		24*			24	
		0.188	5.65		24*			24	
		0.250	7.35		24*			24	
		0.313	8.98		24*				
3.500" OD (3 NPS)	10	0.120	4.332		19		19	19*	
		0.125	4.332					19	
		0.188	6.660					19	
	40	0.216	7.576		19		19	19	
		0.250	8.680					19	
	80	0.300	10.250		19		19	19	
4.000" OD (3.5 NPS)	10	0.120	4.973	10*	10		10		
		0.125	5.18	10*	10		10	10	
		0.188	7.66	10*	10		10	10	
	40	0.226	9.109	10*	10		10	10	
		0.250	10.02	10*	10		10	10	
		0.313	12.33	10*	10		10		
	80	0.318	12.51	10*	10		10	10	
		0.375	14.53	10*	10		10		

*Subject to Accumulation

continued

OUR PRODUCTS

HOLLOW STRUCTURAL STEEL PRODUCTS

HSS ROUND & PIPE ASTM A500 *(continued)*

SIZE (IN)	SCH	WALL	WGT PER FT	CHICAGO PCS/BDL	MARSEILLES PCS/BDL	DECATUR PCS/BDL	TRINITY PCS/BDL	BIRMINGHAM PCS/BDL
4.500" OD (4 NPS)	10	0.120	5.613		10		10	
		0.125	5.613					10
		0.188	8.660					10
	40	0.237	10.79		10		10	10
		0.250	11.35					10
		0.337	14.98		10		10	10
5.000" OD		0.125	6.51	10*	10*			10
		0.188	9.66	10*	10*			10
		0.250	12.69	10*	10*			10
		0.313	15.67	10*	10*			
		0.375	18.54	10*	10*			
5.500" OD		0.188	10.67	10*				
		0.250	14.02	10*				
		0.313	17.34	10*				
		0.375	20.53	10*				
5.563" OD (5 NPS)	10	0.134	7.77	10*				
	40	0.258	14.62	10*				10
	80	0.375	20.78	10*				10
6.000" OD		0.125	7.85	10*				10
		0.188	11.68	10*				10
		0.250	15.37	10*				10
		0.313	19.02	10*				
		0.375	22.53	10*				
6.625" OD (6 NPS)		0.156	10.79	7*	7	7	7	
		0.188	12.92	7*	7	7	7	
		0.250	17.02	7*	7	7	7	
	40	0.280	18.97	7*	7	7	7	10
		0.313	21.04		7	7	7	
		0.375	25.03		7	7	7	
	80	0.432	28.57		7	7		10
	42'	80	0.432	28.57		7	7	7
		0.500	32.71		7	7		
	120	0.562	36.39		7	7		
7.000" OD		0.203	14.75		7			
		0.215	15.59		7			
		0.250	18.04		7			
		0.375	26.50		7			
8.625" OD (8 NPS)		0.188	16.94		7*	7*	7*	
	20	0.250	22.36		7	7	7	
		0.313	27.81		7*	7*	7*	
	40	0.322	28.55		7	7	7	7
		0.375	33.04		7*	7*	7*	
	80	0.500	43.39		7	7		7
	42'	80	0.500	43.39		2	2	5
		100	0.594	50.87		2	2	
		0.625	53.45		2*	2*		

*Subject to Accumulation

continued

OUR PRODUCTS

HOLLOW STRUCTURAL STEEL PRODUCTS

HSS ROUND & PIPE ASTM A500 *(continued)*

SIZE (IN)	SCH	WALL	WGT PER FT	CHICAGO PCS/BDL	MARSEILLES PCS/BDL	DECATUR PCS/BDL	TRINITY PCS/BDL	BIRMINGHAM PCS/BDL	
9.625" OD (9 NPS)		0.250	25.05		2*				
		0.313	31.16		2*				
	STD	0.342	33.94		2*				
	EXH	0.500	48.77		2*				
10.750" OD (10 NPS)	20	0.250	28.06		2	2			
	40	0.365	40.48		2	2		7	
	42'	40	0.365	40.48		2	2		5
			0.375	41.59		2*	2*		
	42'	EXH	0.500	54.74		2	2		5
		EXH	0.500	54.74		2	2		2
		80	0.593	64.33		2	2		
			0.625	67.65		2*	2*		
12.000" OD		0.250							
		0.313							
		0.375							
		0.500							
12.750" OD (12 NPS)	20	0.250	33.38		2	2*			
		0.313	41.61		2*	2*			
	STD	0.375	49.56		2	2		2	
	40	0.406	53.53		2	2*			
	EXH	0.500	65.42		2	2		2	
	60	0.562	73.16		2*	2*			
		0.625	81.01		2*	2*			
	80	0.687	88.51		2	2*			
14.000" OD (14 NPS)	10	0.250	36.71			2*			
		0.312	45.61			2*			
	STD	0.375	54.57			2*			
	EXH	0.500	72.09			2*			
		0.625	89.36			2*			
16.000" OD (16 NPS)		0.219				2*			
	10	0.250				2*			
	STD	0.375				2*			
	EXH	0.500				2*			
		0.625				2*			

*Subject to Accumulation