



TUBULAR PRODUCTS

OUR STORY



Southland Tube was founded in 1987 in Birmingham, Alabama, to serve its regional customer base with ASTM A513 mechanical tubing. The Montgomery family purchased the assets in 1995 and grew the business into a national brand with a strong reputation for superior customer service throughout the marketplace. Southland's team grew from a handful of employees to a family of over 260 members. Southland Tube currently serves the metals service center industry nationwide, as well as select OEM customers, with the most popular ranges of HSS and mechanical pipe and tube.

Independence Tube was founded in 1972 and is a leading manufacturer of square, rectangular and round structural steel tubing. Independence Tube produces structural steel tubing from prime steel on the most advanced tube mill equipment in the industry. High-frequency welding techniques assure the ultimate in weld integrity. Structural steel tubing's ease of fabrication, high strength and pleasing appearance make it a "First Choice" material. Applications are as unlimited as the designer's imagination.

Independence Tube began in a 53,000-square-foot facility on the southwest side of Chicago. Today, it operates two divisions in Illinois (Chicago and Marseilles) and two divisions in Alabama (Decatur and Trinity). Combined operations comprise over 1,700,000 square feet under one roof and over 150 acres of property.

PRODUCT SPECIFICATIONS

Nucor Tubular Products Group is a leading manufacturer of carbon steel pipe and tubing. NTPG produces steel pipe and tube to ASTM specifications, including, but not limited to, A500, A513, A847, A252, and A1085. Square tubing is manufactured in sizes from ½" to 10" along with comparable rectangles. Wall thickness ranges from 18 gauge to ½" wall. Round tubing is available in sizes from 0.84" OD (½" pipe) through 12.75" OD (12" pipe). NTPG also manufactures Hollow Structural Steel (HSS) in sizes from 2" SQ through 12" SQ (plus corresponding rectangles) and rounds from 1.660" OD through 16" OD.

In addition, NTPG offers ASTM A53 Type E Grade B pipe, and ASTM A135/A795 Fire Protection Sprinkler Pipe is manufactured to the same commitment to quality that built the company over 40 years ago. ASTM A53 Standard Pipes are used for ordinary uses in conveyance of steam, water, gas, and air lines. It is suitable for welding, and suitable for forming operations involving coiling, bending,

TUBULAR PRODUCTS

OUR STORY



and flanging. ASTM A135/A795, used for Fire Protection Sprinkler Pipe, is also produced in Trinity, Alabama. All ASTM A53 and ASTM A135/A795 pipe has an exterior black coating and is treated with ITC MIC Guard to limit I.D. corrosion. ASTM A53 and ASTM A135/A795 is produced from 2" NPS through 8" NPS in schedules 10, 40 and 80. NTPG's ASTM A53 and ASTM A135/A795 is UL, C-UL and FM Listed and Approved.

SPECIFICATIONS

ASTM A500
ASTM A513
ASTM A252
ASTM A1085
ASTM A847
ASTM A53
ASTM A135/A795
CSAG40.2

VALUE-ADDED OFFERINGS

- In-house band saw cutting
- I.D. flash removal
- In-house mechanical properties testing
- Charpy V-notch testing
- Pipe beveling
- Miter cutting

ROLLING SCHEDULE

With a yearly published on-time rolling schedule second to none in the industry, you can manage your inventory more closely, knowing that material will be ready when promised. Nucor Tubular Products Group also offers Vendor Managed Inventory (VMI), Electronic Data Interchange (EDI) and bar coding, all of which have become very important services in the management of inventory and communications.

MARKETS

Nucor Tubular Products Group works with the service center industry, farm equipment manufacturers, construction, bridge, and light pole industries, to name a few, and is an active member of the American Institute of Steel Construction (AISC) and the Metals Service Center Institute (MSCI), the Farm Equipment Manufacturers Association (FEMA), the Pile Driving Contractors Association (PDCA) and the National Association of Pipe Distributors (NASPD). Its products can be purchased at steel service centers across North America.

PORTAL

NTPG offers the most comprehensive and customer-friendly interactive e-commerce portal in the industry. Customer-specific information is available online in real time, with secure access 24/7. Customers can browse and search stock inventory; order from floor stock or rollings; submit and view inquiries; receive notification via email when your order ships; release shipments; view open orders, bills of lading and test reports; view price sheets; and much, much more.

TUBULAR PRODUCTS

OUR STORY

REPUBLIC CONDUIT



Nucor acquired Republic Conduit in 2017 to further expand its presence in the pipe and tube market. For more than 85 years, Republic Conduit has manufactured the nation's premier steel electrical conduit. With manufacturing facilities in Louisville, Kentucky, and Cedar Springs, Georgia, Republic Conduit's 300 teammates operate five welding and three galvanizing lines to produce Electrical Metal Tubing (EMT), Intermediate Metal Conduit (IMC), and hot-dip galvanized Electrical Rigid Metal Conduit (ERMC) in a full range of trade sizes. Republic Conduit also offers EMT with features designed to reduce installation costs and avoid jobsite delays, including Inch-Mark,[®] Guide-Line,[®] Silverslick,[®] and diamond-knurled I.D.

HIGH QUALITY. COST EFFECTIVE. DOMESTIC.

Republic Conduit is the only conduit manufacturer in the United States to electrogalvanize EMT and IMC, resulting in protective zinc coatings that do not flake or chip when subjected to extreme stress. Electrogalvanizing also provides uniform galvanized protection to the entire tube—even the ends of the pipe commonly subject to exposure damage. Together, these features ensure smooth bends, consistent welds, and easy installs on the job site, minimizing time and money lost to replacing faulty product. Republic Conduit is also one of only two domestic manufacturers of Electrical Rigid Metal Conduit.

Some of the many benefits of steel conduit raceway from Republic Conduit are:

- Fire- and impact-resistant
- Chemical compatibility with concrete
- Complete recyclability
- Simple installation
- Physical and mechanical protection
- EMI shielding

Republic Conduit is synonymous with durable, safe and cost-effective electrical raceway products. When clients choose Republic Conduit, they get the job done right, the first time.

MARKETS

Our products are primarily used to protect and route electrical wiring in various nonresidential structures such as hospitals, schools, office buildings, hotels, stadiums, churches and shopping malls. The company also serves the power and industrial sectors. As a proud part of Nucor, Republic Conduit is committed to long-term investment and sustainable business.

TUBULAR PRODUCTS

OUR PRODUCTS

HSS ROUND & PIPE ASTM A500

| SIZE (IN) | SCH | WALL | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL | |
|----------------------|-------|-------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|----|
| 1.050" OD (0.75 NPS) | 10 | 0.083 | 0.857 | | | | | 169* | |
| | 40 | 0.113 | 1.131 | | | | | 169 | |
| 1.315" OD (1 NPS) | 10 | 0.109 | 1.404 | | | | | 91* | |
| | 40 | 0.133 | 1.679 | | | | | 91 | |
| 1.660" OD (1.25 NPS) | 10 | 0.109 | 1.806 | | 61 | | | 61 | |
| | 40 | 0.140 | 2.273 | | 61 | | | 61 | |
| | 80 | 0.191 | 2.997 | | | | | 61 | |
| 1.750" OD | | 0.125 | 2.17 | | 61* | | | | |
| | | 0.134 | 2.31 | | 61* | | | | |
| 1.900" OD (1.5 NPS) | 10 | 0.109 | 2.085 | | 61 | | | 61 | |
| | 40 | 0.145 | 2.718 | | 61 | | | 61 | |
| | 80 | 0.200 | 3.631 | | | | | 61 | |
| 2.375" OD (2 NPS) | 10 | 0.109 | 2.638 | | 37 | | 37 | 37* | |
| | 40 | 0.154 | 3.653 | | 37 | | 37 | 37 | |
| | 42' | 40 | 0.154 | 3.653 | | 37 | | 37 | 24 |
| | | 80 | 0.218 | 5.020 | | 37 | | 37 | 37 |
| | 42' | 80 | 0.218 | 5.020 | | 37 | | 37 | 24 |
| 2.875" OD (2.5 NPS) | 10 | 0.120 | 3.531 | | 24 | | 24 | 24* | |
| | 40 | 0.203 | 5.793 | | 24 | | 24 | 24 | |
| | 80 | 0.276 | 7.661 | | 24 | | 24 | 24 | |
| 3.000" OD | | 0.125 | 3.84 | | 24* | | | 24 | |
| | | 0.188 | 5.65 | | 24* | | | 24 | |
| | | 0.250 | 7.35 | | 24* | | | 24 | |
| | | 0.313 | 8.98 | | 24* | | | | |
| 3.500" OD (3 NPS) | 10 | 0.120 | 4.332 | | 19 | | 19 | 19* | |
| | | 0.125 | 4.332 | | | | | 19 | |
| | | 0.188 | 6.660 | | | | | 19 | |
| | 40 | 0.216 | 7.576 | | 19 | | 19 | 19 | |
| | | 0.250 | 8.680 | | | | | 19 | |
| 4.000" OD (3.5 NPS) | 80 | 0.300 | 10.250 | | 19 | | 19 | 19 | |
| | 10 | 0.120 | 4.973 | 10* | 10 | | 10 | | |
| | | 0.125 | 5.18 | 10* | 10 | | 10 | 10 | |
| | | 0.188 | 7.66 | 10* | 10 | | 10 | 10 | |
| | 40 | 0.226 | 9.109 | 10* | 10 | | 10 | 10 | |
| | | 0.250 | 10.02 | 10* | 10 | | 10 | 10 | |
| | | 0.313 | 12.33 | 10* | 10 | | 10 | | |
| 80 | 0.318 | 12.51 | 10* | 10 | | 10 | 10 | | |
| | 0.375 | 14.53 | 10* | 10 | | 10 | | | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS ROUND & PIPE ASTM A500 (continued)

| SIZE (IN) | SCH | WALL | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL | |
|-------------------|-----|-------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|----|
| 4.500" OD (4 NPS) | 10 | 0.120 | 5.613 | | 10 | | 10 | | |
| | | 0.125 | 5.613 | | | | | 10 | |
| | | 0.188 | 8.660 | | | | | 10 | |
| | 40 | 0.237 | 10.79 | | 10 | | 10 | 10 | |
| | | 0.250 | 11.35 | | | | | 10 | |
| | | 0.337 | 14.98 | | 10 | | 10 | 10 | |
| 5.000" OD | | 0.125 | 6.51 | 10* | 10* | | | 10 | |
| | | 0.188 | 9.66 | 10* | 10* | | | 10 | |
| | | 0.250 | 12.69 | 10* | 10* | | | 10 | |
| | | 0.313 | 15.67 | 10* | 10* | | | | |
| | | 0.375 | 18.54 | 10* | 10* | | | | |
| 5.500" OD | | 0.188 | 10.67 | 10* | | | | | |
| | | 0.250 | 14.02 | 10* | | | | | |
| | | 0.313 | 17.34 | 10* | | | | | |
| 5.563" OD (5 NPS) | 10 | 0.134 | 7.77 | 10* | | | | | |
| | | 0.258 | 14.62 | 10* | | | | 10 | |
| | | 0.375 | 20.78 | 10* | | | | 10 | |
| 6.000" OD | | 0.125 | 7.85 | 10* | | | | 10 | |
| | | 0.188 | 11.68 | 10* | | | | 10 | |
| | | 0.250 | 15.37 | 10* | | | | 10 | |
| | | 0.313 | 19.02 | 10* | | | | | |
| | | 0.375 | 22.53 | 10* | | | | | |
| 6.625" OD (6 NPS) | | 0.156 | 10.79 | 7* | 7 | 7 | 7 | | |
| | | 0.188 | 12.92 | 7* | 7 | 7 | 7 | | |
| | | 0.250 | 17.02 | 7* | 7 | 7 | 7 | | |
| | | 0.280 | 18.97 | 7* | 7 | 7 | 7 | 10 | |
| | | 0.313 | 21.04 | | 7 | 7 | 7 | | |
| | 42' | 80 | 0.432 | 28.57 | | 7 | 7 | 7 | 10 |
| | | 80 | 0.432 | 28.57 | | 7 | 7 | | 7 |
| | | | 0.500 | 32.71 | | 7 | 7 | | |
| | | 120 | 0.562 | 36.39 | | 7 | 7 | | |
| | | | 0.203 | 14.75 | | 7 | | | |
| 7.000" OD | | 0.215 | 15.59 | | 7 | | | | |
| | | 0.250 | 18.04 | | 7 | | | | |
| | | 0.375 | 26.50 | | 7 | | | | |
| | | 0.188 | 16.94 | | 7* | 7* | 7* | | |
| 8.625" OD (8 NPS) | 20 | 0.250 | 22.36 | | 7 | 7 | 7 | | |
| | | 0.313 | 27.81 | | 7* | 7* | 7* | | |
| | | 0.322 | 28.55 | | 7 | 7 | 7 | 7 | |
| | | 0.375 | 33.04 | | 7* | 7* | 7* | | |
| | 42' | 80 | 0.500 | 43.39 | | 7 | 7 | | 7 |
| | | 80 | 0.500 | 43.39 | | 2 | 2 | | 5 |
| | | 100 | 0.594 | 50.87 | | 2 | 2 | | |
| | | | 0.625 | 53.45 | | 2* | 2* | | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS ROUND & PIPE ASTM A500 (continued)

| SIZE (IN) | SCH | WALL | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL | |
|---------------------|-----|-------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|---|
| 9.625" OD (9 NPS) | | 0.250 | 25.05 | | 2* | | | | |
| | | 0.313 | 31.16 | | 2* | | | | |
| | | STD | 0.342 | 33.94 | | 2* | | | |
| | | EXH | 0.500 | 48.77 | | 2* | | | |
| 10.750" OD (10 NPS) | 20 | 0.250 | 28.06 | | 2 | 2 | | | |
| | | 0.365 | 40.48 | | 2 | 2 | | 7 | |
| | 42' | 40 | 0.365 | 40.48 | | 2 | 2 | | 5 |
| | | | 0.375 | 41.59 | | 2* | 2* | | |
| | 42' | EXH | 0.500 | 54.74 | | 2 | 2 | | 5 |
| | | EXH | 0.500 | 54.74 | | 2 | 2 | | 2 |
| 12.000" OD | | 0.250 | | | | | | | |
| | | 0.313 | | | | | | | |
| | | 0.375 | | | | | | | |
| | | 0.500 | | | | | | | |
| 12.750" OD (12 NPS) | 20 | 0.250 | 33.38 | | 2 | 2* | | | |
| | | 0.313 | 41.61 | | 2* | 2* | | | |
| | STD | 0.375 | 49.56 | | 2 | 2 | | 2 | |
| | | 40 | 0.406 | 53.53 | | 2 | 2* | | |
| | EXH | 0.500 | 65.42 | | 2 | 2 | | 2 | |
| | | 60 | 0.562 | 73.16 | | 2* | 2* | | |
| | | 80 | 0.625 | 81.01 | | 2* | 2* | | |
| 14.000" OD (14 NPS) | 10 | 0.250 | 36.71 | | | 2* | | | |
| | | 0.312 | 45.61 | | | 2* | | | |
| | STD | 0.375 | 54.57 | | | 2* | | | |
| | | EXH | 0.500 | 72.09 | | | 2* | | |
| | | 0.625 | 89.36 | | | 2* | | | |
| 16.000" OD (16 NPS) | | 0.219 | | | | 2* | | | |
| | | 10 | 0.250 | | | 2* | | | |
| | | STD | 0.375 | | | 2* | | | |
| | | EXH | 0.500 | | | 2* | | | |
| | | 0.625 | | | 2* | | | | |

*Subject to Accumulation

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------------------------------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 1 1/2" SQ | 3/16 | 3.04 | | | | | 45 |
| | 1/4 | 4.11 | | | | | 45 |
| 1 3/4" SQ | 3/16 | 3.68 | | | | | 64 |
| 2" SQ 40' | 1/8 | 3.05 | 25 | 25 | | 25 | 49 |
| | 1/8 | 3.05 | 25 | 25 | | 25 | 35 |
| | 3/16 | 4.32 | 25 | 25 | | 25 | 35 |
| | 1/4 | 5.41 | 25 | 25 | | 25 | 30 |
| | 5/16 | 6.32 | 25 | | | 25 | |
| 2 1/2" X 1 1/2" | 1/8 | 3.05 | | | 24* | | 54 |
| | 3/16 | 4.32 | | | 24* | | 36 |
| | 1/4 | 5.41 | | | 24* | | 30 |
| 3" X 1" | 1/8 | 3.05 | | | | | 50* |
| 2 1/4" SQ | 1/8 | 3.48 | 25* | | | | |
| | 3/16 | 4.96 | 25* | | | | |
| | 1/4 | 6.25 | 25* | | | | |
| | 5/16 | 7.38 | 25* | | | | |
| 3" X 1 1/2" | 1/8 | 3.48 | 24 | | | | 50 |
| | 3/16 | 4.96 | 24 | | | | |
| | 1/4 | 6.25 | 24 | | | | |
| | 5/16 | 7.38 | 24 | | | | |
| 2 1/2" SQ 40' | 1/8 | 3.9 | 25 | 25 | | 25 | 36 |
| | 1/8 | 3.9 | 25 | 25 | | 25 | 24 |
| | 3/16 | 5.59 | 25 | 25 | | 25 | 24 |
| | 1/4 | 7.11 | 25 | 25 | | 25 | 24 |
| | 5/16 | 8.43 | 25 | 25 | | 25 | |
| 3" X 2" 40' | 1/8 | 3.9 | 25 | 25 | | 25 | 35 |
| | 1/8 | 3.9 | 25 | 25 | | 25 | 25 |
| | 3/16 | 5.59 | 25 | 25 | | 25 | 25 |
| | 1/4 | 7.11 | 25 | 25 | | 25 | 25 |
| | 5/16 | 8.43 | 25 | 25 | | 25 | |
| 3 1/2" X 1 1/2" | 1/8 | 3.9 | 24 | | | | |
| | 3/16 | 5.59 | 24 | | | | |
| | 1/4 | 7.11 | 24 | | | | |
| | 5/16 | 8.43 | 24 | | | | |
| 3" SQ 40' 40' 48' 48' | 1/8 | 4.75 | 25 | 25 | | 25 | 25 |
| | 1/8 | 4.75 | 25 | 25 | | 25 | 20 |
| | 3/16 | 6.87 | 25 | 25 | | 25 | 20 |
| | 1/4 | 8.81 | 25 | 25 | | 25 | 20 |
| | 1/4 | 8.81 | 25 | 25 | | 25 | 15 |
| | 1/4 | 8.81 | 20 | 20 | | 20 | |
| | 5/16 | 10.58 | 20 | 20 | | 20 | |
| | 3/8 | 12.16 | 20 | 20 | | 20 | |
| | 3/8 | 12.16 | 16 | 16 | | 16 | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 *(continued)*

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL | |
|------------------|-------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|----|
| 3 1/2" X 2 1/2" | 1/8 | 4.75 | | | | | 30* | |
| | 3/16 | 6.87 | | | | | 16* | |
| | 1/4 | 8.81 | | | | | 16* | |
| 4" X 2" | 1/8 | 4.75 | 24 | 24 | | 24 | 18 | |
| | 3/16 | 6.87 | 24 | 24 | | 24 | 18 | |
| | 1/4 | 8.81 | 24 | 24 | | 24 | 18 | |
| | 48' | 5/16 | 10.58 | 24 | 24 | | 24 | |
| | | 5/16 | 10.58 | 18 | 18 | | 18 | |
| 3/8 | 12.16 | | 24 | | | | | |
| 3 1/2" SQ 40' | 1/8 | 5.61 | 25 | 25 | 25 | 25 | 16 | |
| | 1/8 | 5.61 | 25 | 25 | 25 | 25 | 12 | |
| | 3/16 | 8.15 | 25 | 25 | 25 | 25 | 12 | |
| | 48' | 1/4 | 10.51 | 20 | 20 | 20 | 20 | 12 |
| | | 5/16 | 12.7 | 20 | 20 | 20 | 20 | |
| 48' | 5/16 | 12.7 | 20 | 20 | 20 | 20 | | |
| | 3/8 | 14.71 | 16 | 16 | 16 | 16 | | |
| | 3/8 | 14.71 | 12 | 12 | 12 | 12 | | |
| 4" X 3" | 1/8 | 5.61 | 25 | 25 | | 25 | 12 | |
| | 3/16 | 8.15 | 25 | 25 | | 25 | 12 | |
| | 48' | 1/4 | 10.51 | 20 | 20 | | 20 | 12 |
| | | 5/16 | 12.7 | 20 | 20 | | 20 | |
| | 5/16 | 12.7 | 16 | 16 | | 16 | | |
| 3/8 | 14.71 | 16 | 16 | | 16 | | | |
| 5" X 2" SQ | 1/8 | 5.61 | 18 | | | 18 | 18 | |
| | 3/16 | 8.15 | 18 | 18 | | 18 | 18 | |
| | 48' | 1/4 | 10.51 | 18 | 18 | | 18 | 15 |
| | | 5/16 | 12.7 | 18 | 18 | | 18 | |
| | 5/16 | 12.7 | 15 | 15 | | 15 | | |
| 3/8 | 14.71 | | 18 | | | 15 | | |
| 4" SQ | 1/8 | 6.46 | 20 | 20 | | 20 | 12 | |
| | 3/16 | 9.42 | 20 | 20 | | 20 | 12 | |
| | 48' | 1/4 | 12.21 | 20 | 20 | | 20 | 12 |
| | | 1/4 | 12.21 | 16 | 12 | | 12 | 12 |
| | 5/16 | 14.83 | 12 | 12 | | 12 | 12 | |
| 40' | 3/8 | 17.27 | 12 | 12 | | 12 | 12 | |
| | 1/2 | 21.63 | | 9 | 9 | | 12 | |
| | 1/2 | 21.63 | | 9 | 9 | | 9 | |
| 5" X 3" | 1/8 | 6.46 | 20 | 20 | | 20 | 12 | |
| | 3/16 | 9.42 | 20 | 20 | | 20 | 12 | |
| | 48' | 1/4 | 12.21 | 20 | 20 | | 20 | 12 |
| | | 1/4 | 12.21 | 16 | 16 | | 16 | 12 |
| | 5/16 | 14.83 | 12 | 12 | | 12 | 12 | |
| 48' | 3/8 | 17.27 | 12 | 12 | | 12 | 12 | |
| | 1/2 | 21.63 | | 9 | 9 | | | |
| | 1/2 | 21.63 | | 9 | 9 | | | |
| 6" X 2" | 1/8 | 6.46 | 18 | 18 | | 18 | 12 | |
| | 3/16 | 9.42 | 18 | 18 | | 18 | 12 | |
| | 48' | 1/4 | 12.21 | 18 | 18 | | 18 | 12 |
| | | 5/16 | 14.83 | 15 | 15 | | 15 | 12 |
| | 3/8 | 17.27 | 12 | 12 | | 12 | 12 | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 4 1/2" SQ | 1/8 | 7.31 | 16* | | | | |
| | 3/16 | 10.7 | 16* | | | | |
| | 1/4 | 13.91 | 16* | | | | |
| 48' | 1/4 | 13.91 | 12* | | | | |
| | 5/16 | 16.96 | 12* | | | | |
| | 3/8 | 19.82 | 12* | | | | |
| 48' | 3/8 | 19.82 | 9* | | | | |
| 5" X 4" | 1/8 | 7.31 | 16* | | | | |
| | 3/16 | 10.7 | 16* | | | | |
| | 1/4 | 13.91 | 16* | | | | |
| 48' | 1/4 | 16.96 | 12* | | | | |
| | 5/16 | 16.96 | 12* | | | | |
| | 3/8 | 19.82 | 12* | | | | |
| 48' | 3/8 | 19.82 | 9* | | | | |
| 6" X 3" | 1/8 | 7.31 | 15* | | | | 8 |
| | 3/16 | 10.7 | 15* | | | | 8 |
| | 1/4 | 13.91 | 15* | | | | 8 |
| 48' | 5/16 | 16.96 | 15* | | | | |
| | 5/16 | 16.96 | 12* | | | | |
| | 3/8 | 19.82 | 12* | | | | |
| 48' | 3/8 | 19.82 | 9* | | | | |
| 7" X 2" | 1/8 | 7.31 | 12 | | | | |
| | 3/16 | 10.7 | 12 | | | | |
| | 1/4 | 13.91 | 12 | | | | |
| 48' | 5/16 | 16.96 | 12 | | | | |
| | 1/8 | 8.16 | 16 | 16 | 16 | | 9 |
| | 3/16 | 11.97 | 16 | 16 | 16 | | 9 |
| 48' | 1/4 | 15.62 | 16 | 16 | 16 | | 9 |
| | 1/4 | 15.62 | 12 | 12 | 12 | | 9 |
| | 5/16 | 19.08 | 12 | 12 | 12 | | 9 |
| 48' | 5/16 | 19.08 | 9 | 9 | 9 | | 9 |
| | 3/8 | 22.37 | 9 | 9 | 9 | | 9 |
| | 1/2 | 28.43 | | 6 | | | 6 |
| 6" X 4" | 1/8 | 8.16 | 12 | 12* | 12* | | 12* |
| | 1/8 | 8.16 | 12 | 12 | 12 | | 9* |
| | 3/16 | 11.97 | 12 | 12 | 12 | | 12 |
| 40' | 3/16 | 11.97 | 12 | 12 | 12 | | 9 |
| | 1/4 | 15.62 | 12 | 12 | 12 | | 12 |
| | 1/4 | 15.62 | 12 | 12 | 12 | | 9 |
| 40' | 5/16 | 19.08 | 12 | 12 | 12 | | 12 |
| | 5/16 | 19.08 | 12 | 12 | 12 | | 9 |
| | 5/16 | 19.08 | 9 | 9 | 9 | | 9 |
| 48' | 5/16 | 19.08 | 9 | 9 | 9 | | 9 |
| | 3/8 | 22.37 | 9 | 9 | 9 | | 9 |
| | 1/2 | 28.43 | | 6 | | | 9 |
| 40' | 1/2 | 28.43 | | 6 | | | 6 |
| | 1/2 | 28.43 | | 6 | | | 6 |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 7" X 3" | 1/8 | 8.16 | 10 | 10* | 10* | | |
| | 3/16 | 11.97 | 10 | 10* | 10* | | |
| | 1/4 | 15.62 | 10 | 10* | 10* | | |
| 48' | 5/16 | 19.08 | 10 | 10* | 10* | | |
| | 3/8 | 22.37 | 10 | 10* | 10* | | |
| | 3/8 | 22.37 | 8 | 8* | 8* | | |
| 8" X 2" | 1/8 | 8.16 | 10 | 10 | 10 | | |
| | 3/16 | 11.97 | 10 | 10 | 10 | | 8 |
| | 1/4 | 15.62 | 10 | 10 | 10 | | 8 |
| 48' | 5/16 | 19.08 | 10 | 10 | 10 | | 8* |
| | 3/8 | 22.37 | 10 | 10 | 10 | | 8 |
| | 3/8 | 22.37 | 8 | 8 | 8 | | 8 |
| 5 1/2" SQ | 1/8 | 9.01 | 9* | | | | |
| | 3/16 | 13.25 | 9* | | | | |
| | 1/4 | 17.32 | 9* | | | | |
| 48' | 5/16 | 21.21 | 9* | | | | |
| | 3/8 | 24.93 | 9* | | | | |
| | 3/8 | 24.93 | 9* | | | | |
| 6" X 5" | 1/8 | 9.01 | 9* | | | | |
| | 3/16 | 13.25 | 9* | | | | |
| | 1/4 | 17.32 | 9* | | | | |
| 48' | 5/16 | 21.21 | 9* | | | | |
| | 3/8 | 24.93 | 9* | | | | |
| | 3/8 | 24.93 | 6* | | | | |
| 7" X 4" | 1/8 | 9.01 | 8 | | | | |
| | 3/16 | 13.25 | 8 | | | | |
| | 1/4 | 17.32 | 8 | | | | |
| 48' | 5/16 | 21.21 | 8 | | | | |
| | 3/8 | 24.93 | 8 | | | | |
| | 1/8 | 9.01 | 10 | | | | |
| 8" X 3" | 3/16 | 13.25 | 10 | | | | |
| | 1/4 | 17.32 | 10 | | | | |
| | 5/16 | 21.21 | 10 | | | | |
| 48' | 3/8 | 24.93 | 10 | | | | |
| | 3/8 | 24.93 | 8 | | | | |
| | 1/8 | 9.86 | 9 | 9 | 9 | | |
| 6" SQ | 3/16 | 14.53 | 9 | 9 | 9 | | 9 |
| | 1/4 | 19.02 | 9 | 9 | 9 | | 9 |
| | 5/16 | 23.34 | 9 | 9 | 9 | | 9 |
| 40' | 5/16 | 23.34 | 9 | 9 | 9 | | 6 |
| | 3/8 | 27.48 | 9 | 9 | 9 | | 9 |
| | 3/8 | 27.48 | 9 | 9 | 9 | | 6 |
| 48' | 3/8 | 27.48 | 6 | 6 | 6 | | 6 |
| | 1/2 | 35.24 | 6 | 6 | 6 | | 6 |
| | 1/2 | 35.24 | 6 | 6 | 6 | | 6 |
| 48' | 5/8 | 42.3 | 6 | 6 | 6 | | 4 |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 7" X 5" | 1/8 | 9.86 | 9 | 9 | 9 | | |
| | 3/16 | 14.53 | 9 | 9 | 9 | | 9* |
| | 1/4 | 19.02 | 9 | 9 | 9 | | 9* |
| | 5/16 | 23.34 | 9 | 9 | 9 | | 9* |
| 40' | 5/16 | 23.34 | 9 | 9 | 9 | | 6* |
| | 3/8 | 27.48 | 9 | 9 | 9 | | 6* |
| 48' | 3/8 | 27.48 | 6 | 6 | 6 | | 6* |
| | 1/2 | 35.24 | 6 | 6 | 6 | | 6* |
| 40' | 1/2 | 35.24 | 6 | 6 | 6 | | 4* |
| 8" X 4" | 1/8 | 9.86 | 8 | 8 | 8 | | |
| | 3/16 | 14.53 | 8 | 8 | 8 | | 12 |
| 40' | 3/16 | 14.53 | 8 | 8 | 8 | | 8 |
| | 1/4 | 19.02 | 8 | 8 | 8 | | 12 |
| 40' | 1/4 | 19.02 | 8 | 8 | 8 | | 8 |
| | 5/16 | 23.34 | 8 | 8 | 8 | | 12 |
| 40' | 5/16 | 23.34 | 8 | 8 | 8 | | 6 |
| | 3/8 | 27.48 | 8 | 8 | 8 | | 12 |
| 40' | 3/8 | 27.48 | 8 | 8 | 8 | | 6 |
| | 3/8 | 27.48 | 6 | 6 | 6 | | 6 |
| 48' | 1/2 | 35.24 | | 6 | 6 | | 6 |
| | 1/2 | 35.24 | | 6 | 6 | | 4 |
| 48' | 1/2 | 35.24 | | 6 | 6 | | |
| | 5/8 | 42.3 | | 6 | 6 | | |
| 10" X 2" | 3/16 | 14.53 | | 8 | 8 | | |
| | 1/4 | 19.02 | | 8 | 8 | | |
| | 5/16 | 23.34 | | 8 | 8 | | |
| | 3/8 | 42.3 | | 8 | 8 | | |
| 7" SQ | 1/8 | 11.54 | | 6* | 6* | | |
| | 3/16 | 17.08 | | 6 | 6 | | 9 |
| 40' | 3/16 | 17.08 | | 6 | 6 | | 6 |
| | 1/4 | 22.42 | | 6 | 6 | | 9 |
| 40' | 1/4 | 22.42 | | 6 | 6 | | 6 |
| | 5/16 | 27.59 | | 6 | 6 | | 9 |
| 40' | 5/16 | 27.59 | | 6 | 6 | | 6 |
| | 3/8 | 32.58 | | 6 | 6 | | 9 |
| 40' | 3/8 | 32.58 | | 6 | 6 | | 6 |
| | 1/2 | 42.05 | | 6 | 6 | | 6 |
| 40' | 1/2 | 42.05 | | 6 | 6 | | 4 |
| | 5/8 | 50.81 | | 4 | 4 | | |
| 8" X 6" | 1/8 | 11.54 | | 6* | 6* | | |
| | 3/16 | 17.08 | | 6 | 6 | | 6* |
| | 1/4 | 22.42 | | 6 | 6 | | 6 |
| | 5/16 | 27.59 | | 6 | 6 | | 6 |
| | 3/8 | 32.58 | | 6 | 6 | | 9 |
| 40' | 3/8 | 32.58 | | 6 | 6 | | 6 |
| | 1/2 | 42.05 | | 6 | 6 | | 4 |
| | 5/8 | 50.81 | | 4 | 4 | | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 9" X 5" | 3/16 | 17.08 | | | | | 6* |
| | 1/4 | 22.42 | | | | | 6* |
| | 5/16 | 27.59 | | | | | 6* |
| | 3/8 | 32.58 | | | | | 6* |
| | 1/2 | 42.05 | | | | | 6* |
| | 5/8 | 50.81 | | | | | 6* |
| 10" X 4" | 3/16 | 17.08 | | 6 | 6 | | 6 |
| | 1/4 | 22.42 | | 6 | 6 | | 9 |
| 40' | 1/4 | 22.42 | | 6 | 6 | | 6 |
| | 5/16 | 27.59 | | 6 | 6 | | 6 |
| | 3/8 | 32.58 | | 6 | 6 | | 9 |
| | 3/8 | 32.58 | | 6 | 6 | | 6 |
| 40' | 1/2 | 42.05 | | 6 | 6 | | 4 |
| | 5/8 | 50.81 | | 6 | 6 | | |
| | 5/8 | 50.81 | | 6 | 6 | | |
| 12" X 2" | 3/16 | 17.08 | | 8* | 8* | | |
| | 1/4 | 22.42 | | 8* | 8* | | |
| | 5/16 | 27.59 | | 8* | 8* | | |
| | 5/16 | 27.59 | | 8* | 8* | | |
| 8" SQ | 1/8 | 13.27 | | 4 | 4 | | |
| | 3/16 | 19.63 | | 4 | 4 | | 9 |
| 40' | 3/16 | 19.63 | | 4 | 4 | | 6 |
| | 1/4 | 25.82 | | 4 | 4 | | 9 |
| 40' | 1/4 | 25.82 | | 4 | 4 | | 6 |
| | 5/16 | 31.84 | | 4 | 4 | | 9 |
| 40' | 5/16 | 31.84 | | 4 | 4 | | 6 |
| | 3/8 | 37.69 | | 4 | 4 | | 9 |
| 40' | 3/8 | 37.69 | | 4 | 4 | | 6 |
| | 1/2 | 48.85 | | 4 | 4 | | 6 |
| 48' | 3/8 | 37.69 | | 4 | 4 | | 4 |
| | 1/2 | 48.85 | | 4 | 4 | | 6 |
| 40' | 1/2 | 48.85 | | 4 | 4 | | 4 |
| | 5/8 | 59.32 | | 4 | 4 | | |
| 9" X 7" | 3/16 | 19.63 | | 4* | | | |
| | 1/4 | 25.82 | | 4* | | | |
| | 5/16 | 31.84 | | 4* | | | |
| | 3/8 | 37.69 | | 4* | | | |
| | 1/2 | 48.85 | | 4* | | | |
| | 5/8 | 59.32 | | 4* | | | |
| 10" X 6" | 3/16 | 19.63 | | 4 | 4 | | 6* |
| | 1/4 | 25.82 | | 4 | 4 | | 6 |
| | 5/16 | 31.84 | | 4 | 4 | | 6 |
| | 3/8 | 37.69 | | 4 | 4 | | 6 |
| | 3/8 | 37.69 | | 4 | 4 | | 4 |
| 48' | 1/2 | 48.85 | | 4 | 4 | | 4 |
| | 5/8 | 59.32 | | 4 | 4 | | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 12" X 4" | 3/16 | 19.63 | | 4 | 4 | | 8 |
| 40' | 3/16 | 19.63 | | 4 | 4 | | 6 |
| | 1/4 | 25.82 | | 4 | 4 | | 8 |
| 40' | 1/4 | 25.82 | | 4 | 4 | | 6 |
| | 5/16 | 31.84 | | 4 | 4 | | 6 |
| | 3/8 | 37.69 | | 4 | 4 | | 6 |
| 48' | 3/8 | 37.69 | | 4 | 4 | | 4 |
| | 1/2 | 48.85 | | 4 | 4 | | 6 |
| 40' | 1/2 | 48.85 | | 4 | 4 | | 4 |
| 9" SQ | 3/16 | 22.18 | | 4* | 4* | | 9* |
| 40' | 3/16 | 22.18 | | 4* | 4* | | 6* |
| | 1/4 | 29.23 | | 4* | 4* | | 9* |
| 40' | 1/4 | 29.23 | | 4* | 4* | | 6* |
| | 5/16 | 36.1 | | 4* | 4* | | 6* |
| 40' | 5/16 | 36.1 | | 4* | 4* | | 4* |
| | 3/8 | 42.79 | | 4* | 4* | | 6* |
| 40' | 3/8 | 42.79 | | 4* | 4* | | 4* |
| | 1/2 | 55.66 | | 4* | 4* | | 6* |
| 40' | 1/2 | 55.66 | | 4* | 4* | | 4* |
| 48' | 1/2 | 55.66 | | 4* | 4* | | 2* |
| | 5/8 | 67.82 | | 2* | 2* | | |
| 10" X 8" | 3/16 | 22.18 | | 4 | 4 | | 6* |
| | 1/4 | 29.23 | | 4 | 4 | | 6 |
| | 5/16 | 36.1 | | 4 | 4 | | 6* |
| 40' | 5/16 | 36.1 | | 4 | 4 | | 4* |
| | 3/8 | 42.79 | | 4 | 4 | | 4 |
| | 1/2 | 55.66 | | 4 | 4 | | 6 |
| 40' | 1/2 | 55.66 | | 4 | 4 | | 2 |
| | 5/8 | 67.82 | | 2 | 2 | | |
| 12" X 6" | 3/16 | 22.18 | | 4 | 4 | | 8* |
| 40' | 3/16 | 22.18 | | 4 | 4 | | 6* |
| | 1/4 | 29.23 | | 4 | 4 | | 6 |
| | 5/16 | 36.1 | | 4 | 4 | | 6 |
| 48' | 5/16 | 36.1 | | 4 | 4 | | 4 |
| | 3/8 | 42.79 | | 4 | 4 | | 6 |
| 40' | 3/8 | 42.79 | | 4 | 4 | | 4 |
| | 1/2 | 55.66 | | 4 | 4 | | 6 |
| 40' | 1/2 | 55.66 | | 4 | 4 | | 4 |
| 48' | 1/2 | 55.66 | | 4 | 4 | | 2 |
| | 5/8 | 67.82 | | 2 | 2 | | |
| 14" X 4" | 1/4 | 29.23 | | | 3* | | |
| | 5/16 | 36.1 | | | 3* | | |
| | 3/8 | 42.79 | | | 3* | | |
| 48' | 3/8 | 42.79 | | | 3* | | |
| | 1/2 | 55.66 | | | 3* | | |
| 48' | 1/2 | 55.66 | | | 3* | | |
| | 5/8 | 67.82 | | | 3* | | |
| 48' | 5/8 | 67.82 | | | 3* | | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 10" SQ | 1/8 | 14.7 | | 4* | 4* | | |
| | 3/16 | 24.73 | | 4 | 4 | | 9 |
| 40' | 3/16 | 24.73 | | 4 | 4 | | 4 |
| | 1/4 | 32.63 | | 4 | 4 | | 9 |
| 40' | 1/4 | 32.63 | | 4 | 4 | | 4 |
| | 5/16 | 40.35 | | 4 | 4 | | 9 |
| 40' | 5/16 | 40.35 | | 4 | 4 | | 4 |
| | 3/8 | 47.9 | | 4 | 4 | | 6 |
| 40' | 3/8 | 47.9 | | 4 | 4 | | 4 |
| | 1/2 | 62.46 | | 4 | 4 | | 6 |
| 40' | 1/2 | 62.46 | | 4 | 4 | | 4 |
| 48' | 1/2 | 62.46 | | 2 | 2 | | 2 |
| | 5/8 | 76.33 | | 2 | 2 | | |
| 12" X 8" | 3/16 | 24.73 | | 4* | 4* | | 6* |
| | 1/4 | 32.63 | | 4 | 4 | | 6 |
| | 5/16 | 40.35 | | 4 | 4 | | 6* |
| 40' | 5/16 | 40.35 | | 4 | 4 | | 4* |
| | 3/8 | 47.9 | | 4 | 4 | | 6 |
| 40' | 3/8 | 47.9 | | 4 | 4 | | 4 |
| | 1/2 | 62.46 | | 4 | 4 | | 6 |
| 40' | 1/2 | 62.46 | | 4 | 4 | | 4 |
| 48' | 1/2 | 62.46 | | 2 | 2 | | 2 |
| | 5/8 | 76.33 | | 2 | 2 | | |
| 14" X 6" | 3/16 | 24.73 | | | 3* | | 4* |
| | 1/4 | 32.63 | | | 3* | | 4* |
| | 5/16 | 40.35 | | | 3* | | 4* |
| | 3/8 | 47.9 | | | 3* | | 4* |
| 40' | 3/8 | 47.9 | | | 3* | | 2* |
| | 1/2 | 62.46 | | | 3* | | 4* |
| 40' | 1/2 | 62.46 | | | 3* | | 2* |
| | 5/8 | 76.33 | | | 3* | | |
| 48' | 5/8 | 76.33 | | | 2* | | |
| 16" X 4" | 1/4 | 32.63 | | | 4* | | |
| | 5/16 | 40.35 | | | 4* | | |
| | 3/8 | 47.9 | | | 4* | | |
| 48' | 3/8 | 47.9 | | | 4* | | |
| | 1/2 | 62.46 | | | 3* | | |
| 48' | 1/2 | 62.46 | | | 3* | | |
| | 5/8 | 76.33 | | | 2* | | |
| 48' | 5/8 | 76.33 | | | 2* | | |
| 12" SQ | 1/4 | 39.43 | | | 4 | | |
| | 5/16 | 48.86 | | | 4 | | |
| | 3/8 | 58.1 | | | 4 | | |
| 48' | 3/8 | 58.1 | | | 2 | | |
| | 1/2 | 76.07 | | | 4 | | |
| 48' | 1/2 | 76.07 | | | 2 | | |
| | 5/8 | 93.36 | | | 4 | | |

*Subject to Accumulation

continued

TUBULAR PRODUCTS

OUR PRODUCTS

HSS SQUARE & RECTANGLE ASTM A500 (continued)

| SIZE (IN) | GA | WGT PER FT | CHICAGO PCS/BDL | MARSEILLES PCS/BDL | DECATUR PCS/BDL | TRINITY PCS/BDL | BIRMINGHAM PCS/BDL |
|-----------|------|------------|-----------------|--------------------|-----------------|-----------------|--------------------|
| 14" X 10" | 1/4 | 39.43 | | | 2* | | |
| | 5/16 | 48.86 | | | 2* | | |
| | 3/8 | 58.1 | | | 2* | | |
| | 1/2 | 76.07 | | | 2* | | |
| | 5/8 | 93.36 | | | 2* | | |
| 16" X 8" | 1/4 | 39.43 | | | 3* | | |
| | 5/16 | 48.86 | | | 3* | | |
| | 3/8 | 58.1 | | | 3* | | |
| | 1/2 | 76.07 | | | 3* | | |
| 48' | 1/2 | 76.07 | | | 1* | | |
| | 5/8 | 93.36 | | | 3* | | |
| 48' | 5/8 | 93.36 | | | 2* | | |

*Subject to Accumulation

ASTM A53 (STANDARD PIPE)

| NPS | ACTUAL OD | SCHEDULE | WALL | WT/FT | TRINITY PCS/BDL |
|--------|-----------|----------|--------|-------|-----------------|
| 2" | 2.375" | 40 | 0.154" | 3.65 | 24 |
| | | 80 | 0.218" | 5.02 | 24 |
| 2 1/2" | 2.875" | 40 | 0.203" | 5.79 | 19 |
| | | 80 | 0.276" | 7.66 | 19 |
| 3" | 3.500" | 40 | 0.216" | 7.58 | 13 |
| | | 80 | 0.300" | 10.25 | 13 |
| 4" | 4.500" | 40 | 0.237" | 10.79 | 10 |
| | | 80 | 0.337" | 14.98 | 10 |
| 6" | 6.625" | 40 | 0.280" | 18.99 | 7 |
| 8" | 8.625" | 40 | 0.322" | 28.58 | 5 |

ASTM A153/A795 (FIRE PROTECTION SPRINKLER PIPE)

| NPS | SCHEDULE | NOM OD | NOM ID | NOM WALL | WT/FT | TRINITY PCS/BDL |
|--------|----------|--------|--------|----------|-------|-----------------|
| 2" | 10 | 2.375" | 2.157" | 0.109" | 2.64 | 37 |
| 2 1/2" | 10 | 2.875" | 2.635" | 0.120" | 3.53 | 29 |
| 3" | 10 | 3.500" | 3.260" | 0.120" | 4.34 | 19 |
| 4" | 10 | 4.500" | 4.260" | 0.120" | 5.62 | 19 |
| 6" | 10 | 6.625" | 6.357" | 0.134" | 9.30 | 10 |
| 8" | 10 | 8.625" | 8.249" | 0.188" | 16.96 | 7 |

TUBULAR PRODUCTS

OUR PRODUCTS

SQUARE & RECTANGLE ASTM A513

| SIZE (IN) | GA | WALL | WGT/FT | BIRMINGHAM PCS/BDL |
|-----------------|----|--------|--------|--------------------|
| 1/2" SQ | 16 | 0.065" | 0.385 | 200* |
| | 14 | 0.065" | 0.606 | 165 |
| 3/4" SQ | 14 | 0.083" | 0.753 | 165 |
| | 11 | 0.120" | 1.028 | 165 |
| 1" SQ | 16 | 0.065" | 0.827 | 100 |
| | 15 | 0.072" | 0.909 | 100 |
| | 14 | 0.083" | 1.035 | 100 |
| | 11 | 0.120" | 1.436 | 100 |
| 1 1/4" SQ | 16 | 0.065" | 1.048 | 100 |
| | 14 | 0.083" | 1.317 | 100 |
| | 11 | 0.120" | 1.844 | 100 |
| 1 1/2" X 1" | 16 | 0.065" | 1.048 | 70 |
| | 14 | 0.083" | 1.317 | 70 |
| | 11 | 0.120" | 1.844 | 70 |
| 1 1/2" SQ | 16 | 0.065" | 1.269 | 81 |
| | 14 | 0.083" | 1.600 | 81 |
| | 11 | 0.120" | 2.252 | 81 |
| 2" X 1" | 16 | 0.065" | 1.269 | 50 |
| | 14 | 0.083" | 1.600 | 50 |
| | 11 | 0.120" | 2.252 | 50 |
| 1 3/4" SQ | 16 | 0.065" | 1.490 | 64* |
| | 14 | 0.083" | 1.882 | 64 |
| | 11 | 0.120" | 2.660 | 64 |
| 2" SQ | 16 | 0.065" | 1.711 | 49 |
| | 14 | 0.083" | 2.164 | 49 |
| 2 1/2" X 1 1/2" | 16 | 0.065" | 1.711 | 54* |
| | 14 | 0.083" | 2.164 | 54 |
| 3" X 1" | 16 | 0.065" | 1.711 | 50 |
| | 14 | 0.083" | 2.164 | 50 |
| 3" X 1 1/2" | 14 | 0.083" | 2.446 | 50 |
| 2 1/2" SQ | 14 | 0.083" | 2.728 | 36 |
| 3" X 2" | 14 | 0.083" | 2.728 | 35 |
| 3" SQ | 14 | 0.083" | 3.293 | 25 |
| 4" X 2" | 14 | 0.083" | 3.293 | 18 |

*Subject to Accumulation

ROUND ASTM A513 (MECHANICAL)

| SIZE (INCHES) | GA | WALL | WGT/FT | BIRMINGHAM PCS/BDL |
|---------------|----|--------|--------|--------------------|
| 1" OD | 16 | 0.065" | 0.6491 | 169 |
| | 14 | 0.083" | 0.8129 | 169 |
| | 11 | 0.120" | 1.1280 | 169 |
| 1 1/4" OD | 16 | 0.065" | 0.8226 | 91 |
| | 14 | 0.083" | 1.0345 | 91 |
| | 11 | 0.120" | 1.4482 | 91 |
| 1 1/2" OD | 16 | 0.065" | 0.9962 | 61 |
| | 14 | 0.083" | 1.2561 | 61 |
| | 11 | 0.120" | 1.7690 | 61 |
| 2" OD | 16 | 0.065" | 1.3433 | 61 |
| | 14 | 0.083" | 1.6993 | 61 |
| | 11 | 0.120" | 2.4094 | 61 |

TUBULAR PRODUCTS

OUR PRODUCTS

REPUBLIC CONDUIT PRODUCTS

EMT

| TRADE SIZE DESIGNATOR | | OUTSIDE DIAMETER (OD) | | NOMINAL INSIDE DIAMETER | | FEET/BUNDLE | BUNDLES/LIFT | STANDARD LIFT | | | | TAPE COLOR |
|-----------------------|--------|-----------------------|-------|-------------------------|--------|-------------|--------------|---------------|-------|-------|---------|------------|
| US | Metric | IN | mm | IN | mm | | | Feet | m | Lbs | kg | |
| 1/2" | 16 | 0.706 | 17.93 | 0.622 | 15.80 | 100 | 70 | 7,000 | 2,135 | 2,100 | 952.4 | BLACK |
| 3/4" | 21 | 0.922 | 23.42 | 0.824 | 21.00 | 100 | 50 | 5,000 | 1,525 | 2,300 | 1,043.1 | RED |
| 1" | 27 | 1.163 | 29.54 | 1.049 | 26.60 | 100 | 30 | 3,000 | 915 | 2,010 | 911.6 | BLUE |
| 1 1/4" | 35 | 1.510 | 38.35 | 1.380 | 35.05 | 50 | 40 | 2,000 | 610 | 2,020 | 916.1 | RED |
| 1 1/2" | 41 | 1.740 | 44.20 | 1.610 | 40.89 | 50 | 30 | 1,500 | 457.5 | 1,740 | 789.1 | BLACK |
| 2" | 53 | 2.197 | 55.80 | 2.067 | 52.50 | | | 1,200 | 366 | 1,775 | 805.4 | |
| 2 1/2" | 63 | 2.875 | 73.03 | 2.731 | 69.36 | | | 610 | 186.1 | 1,318 | 597.7 | |
| 3" | 78 | 3.500 | 88.90 | 3.356 | 85.24 | | | 510 | 155.6 | 1,341 | 608.2 | |
| 3 1/2" | 91 | 4.000 | 101.6 | 3.834 | 97.38 | | | 370 | 112.9 | 1,291 | 585.5 | |
| 4" | 103 | 4.500 | 114.3 | 4.334 | 110.08 | | | 300 | 91.5 | 1,179 | 534.7 | |

EMT COLOR

| TRADE SIZE DESIGNATOR | | OUTSIDE DIAMETER (OD) | | NOMINAL INSIDE DIAMETER | | FEET/BUNDLE | BUNDLES/LIFT | STANDARD LIFT | | | | TAPE COLOR |
|-----------------------|--------|-----------------------|-------|-------------------------|--------|-------------|--------------|---------------|-------|-------|-------|------------|
| US | Metric | IN | mm | IN | mm | | | Feet | m | Lbs | kg | |
| 1/2" | 16 | 0.706 | 17.93 | 0.622 | 15.80 | 100 | 35 | 3,500 | 1,068 | 1,050 | 476.2 | BLACK |
| 3/4" | 21 | 0.922 | 23.42 | 0.824 | 21.00 | 100 | 25 | 2,500 | 763 | 1,150 | 521.6 | RED |
| 1" | 27 | 1.163 | 29.54 | 1.049 | 26.60 | 100 | 15 | 1,500 | 458 | 1,005 | 455.8 | BLUE |
| 1 1/4" | 35 | 1.510 | 38.35 | 1.380 | 35.05 | 50 | 40 | 2,000 | 610 | 2,020 | 916.1 | RED |
| 1 1/2" | 41 | 1.740 | 44.20 | 1.610 | 40.89 | 50 | 30 | 1,500 | 457.5 | 1,740 | 789.1 | BLACK |
| 2" | 53 | 2.197 | 55.80 | 2.067 | 52.50 | | | 1,200 | 366 | 1,775 | 805.4 | |
| 2 1/2" | 63 | 2.875 | 73.03 | 2.731 | 69.36 | | | 610 | 186.1 | 1,318 | 597.7 | |
| 3" | 78 | 3.500 | 88.90 | 3.356 | 85.24 | | | 510 | 155.6 | 1,341 | 608.2 | |
| 3 1/2" | 91 | 4.000 | 101.6 | 3.834 | 97.38 | | | 370 | 112.9 | 1,291 | 585.5 | |
| 4" | 103 | 4.500 | 114.3 | 4.334 | 110.08 | | | 300 | 91.5 | 1,179 | 534.7 | |

TUBULAR PRODUCTS

OUR PRODUCTS

REPUBLIC CONDUIT PRODUCTS

IMC (INTERMEDIATE METAL CONDUIT)

| TRADE SIZE DESIGNATOR | | OUTSIDE DIAMETER (OD) | | | | WALL THICKNESS | | | | FEET/BUNDLE | BUNDLES/LIFT | STANDARD LIFT | | | | LENGTH WITHOUT COUPLING | CAP COLOR |
|-----------------------|--------|-----------------------|--------|---------|--------|----------------|------|---------|------|-------------|--------------|---------------|--------|------|-------|-------------------------|-----------|
| US | Metric | Minimum | | Maximum | | Minimum | | Maximum | | | | Feet | m | Lbs | kg | | |
| 1/2" | 16 | 0.810 | 20.57 | 0.820 | 20.83 | 0.070 | 1.78 | 0.085 | 2.16 | 100 | 35 | 3500 | 1067.5 | 2170 | 984.1 | 9' 11 1/4" | YELLOW |
| 3/4" | 21 | 1.024 | 26.01 | 1.034 | 26.26 | 0.075 | 1.91 | 0.090 | 2.29 | 50 | 50 | 2500 | 752.5 | 2100 | 952.4 | 9' 11 1/4" | GREEN |
| 1" | 27 | 1.285 | 32.64 | 1.295 | 32.89 | 0.085 | 2.16 | 0.100 | 2.54 | 50 | 34 | 1700 | 518.5 | 2023 | 917.5 | 9' 11" | ORANGE |
| 1 1/4" | 35 | 1.630 | 41.4 | 1.645 | 41.78 | 0.085 | 2.16 | 0.100 | 2.54 | | | 1350 | 411.8 | 2133 | 967.3 | 9' 11" | GREEN |
| 1 1/2" | 41 | 1.875 | 47.63 | 1.890 | 48.01 | 0.090 | 2.29 | 0.105 | 2.67 | | | 1100 | 335.5 | 2134 | 967.8 | 9' 11" | YELLOW |
| 2" | 53 | 2.352 | 59.74 | 2.367 | 60.12 | 0.095 | 2.41 | 0.110 | 2.79 | | | 800 | 244 | 2048 | 928.8 | 9' 11" | ORANGE |
| 2 1/2" | 63 | 2.847 | 72.31 | 2.867 | 72.82 | 0.140 | 3.56 | 0.160 | 4.06 | | | 370 | 112.9 | 1632 | 740.1 | 9' 10 1/2" | YELLOW |
| 3" | 78 | 3.466 | 88.04 | 3.486 | 88.54 | 0.140 | 3.56 | 0.160 | 4.06 | | | 300 | 91.5 | 1629 | 738.8 | 9' 10 1/2" | ORANGE |
| 3 1/2" | 91 | 3.961 | 100.61 | 3.981 | 101.12 | 0.140 | 3.56 | 0.160 | 4.06 | | | 240 | 73.2 | 1510 | 684.8 | 9' 10 1/4" | YELLOW |
| 4" | 103 | 4.456 | 113.18 | 4.476 | 113.69 | 0.140 | 3.56 | 0.160 | 4.06 | | | 240 | 73.2 | 1680 | 761.9 | 9' 10 1/4" | ORANGE |

GRC (ELECTRICAL RIGID METAL CONDUIT-STEEL)

| TRADE SIZE DESIGNATOR | | OUTSIDE DIAMETER (OD) | | NOMINAL INSIDE DIAMETER | | FEET/BUNDLE | BUNDLES/LIFT | STANDARD LIFT | | | | LENGTH WITHOUT COUPLING | CAP COLOR |
|-----------------------|--------|-----------------------|--------|-------------------------|--------|-------------|--------------|---------------|-------|-------|-------|-------------------------|-----------|
| US | Metric | IN | mm | IN | mm | | | Feet | m | Lbs | kg | | |
| 1/2" | 16 | 0.840 | 21.34 | 0.622 | 15.80 | 100 | 25 | 2,500 | 762.5 | 2,050 | 931.3 | 9' 11 1/4" | BLACK |
| 3/4" | 21 | 1.050 | 26.67 | 0.824 | 20.93 | 50 | 40 | 2,000 | 610.0 | 2,180 | 990.4 | 9' 11 1/4" | RED |
| 1" | 27 | 1.315 | 33.4 | 1.049 | 26.64 | 50 | 25 | 1,250 | 381.3 | 2,013 | 914.5 | 9' 11" | BLUE |
| 1 1/4" | 35 | 1.660 | 42.16 | 1.380 | 35.05 | | | 900 | 274.5 | 1,962 | 891.3 | 9' 11" | RED |
| 1 1/2" | 41 | 1.900 | 48.26 | 1.610 | 40.89 | | | 800 | 244.0 | 2,104 | 955.9 | 9' 11" | BLACK |
| 2" | 53 | 2.375 | 60.33 | 2.067 | 52.50 | | | 600 | 183.0 | 2,100 | 954.0 | 9' 11" | BLUE |
| 2 1/2" | 63 | 2.875 | 73.03 | 2.469 | 62.71 | | | 370 | 112.9 | 2,068 | 939.5 | 9' 10 1/2" | BLACK |
| 3" | 78 | 3.500 | 88.90 | 3.068 | 77.93 | | | 300 | 91.5 | 2,181 | 990.8 | 9' 10 1/2" | BLUE |
| 3 1/2" | 91 | 4.000 | 101.6 | 3.548 | 90.12 | | | 250 | 76.3 | 2,200 | 999.5 | 9' 10 1/4" | BLACK |
| 4" | 103 | 4.500 | 114.3 | 4.026 | 102.26 | | | 200 | 61.0 | 2,060 | 935.9 | 9' 10 1/4" | BLUE |
| 5" | 129 | 5.563 | 141.3 | 5.047 | 128.19 | | | 150 | 45.8 | 2,100 | 954.0 | 9' 10" | BLUE |
| 6" | 155 | 6.625 | 168.28 | 6.065 | 154.05 | | | 100 | 30.5 | 1,840 | 835.9 | 9' 10" | BLUE |